

PRINTED CARPETS

EXPODECOR

100% creative carpets

Moquettes aiguilletées imprimées
pour événements, foires, expositions, magasins...

Printed needlepunched carpets
for events, trade fairs, exhibitions, shops...

100%
RECYCLABLE
CARPET




© JVV, IFAS-2017

© COMPOSITION

SOMMER
EVENT

A Sommer Needlepunch brand

Collection 2025



Design size (repetition) : 50 cm (w) x 57 cm (h)

PARIS PAVEMENT

Ref

1,5 x 30 m*

PARISC150

Largeur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 150 cm (w) x 61 cm (h)


GRASS

Ref

1,5 x 30 m*

GRASSC150

Largeur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 50 cm (w) x 52,5 cm (h)


VINTAGE WOODEN FLOOR

Ref

1,5 x 30 m*

VINTAGEC150

Largeur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 51 cm (w) x 217 cm (h)

WOODEN FLOOR

Ref

1,5 x 30 m*

WOODC150

Largeur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.

IMPORTANT

Toutes nos moquettes imprimées sont livrées sans film de protection.
Nous ne pouvons pas garantir à 100% le raccord exact de 2 rouleaux de moquette imprimée posés côte à côte.
En effet, l'impression génère toujours un léger étirage de la moquette, ce qui signifie une légère déformation du motif pouvant aller de ± 3 cm par mètre linéaire.
Dans tous les cas, même avec cet écart, le résultat sera du plus bel effet.

All our printed carpets are delivered without protective film.
We cannot guarantee 100% the exact joint between 2 printed carpet rolls laid side by side.
Indeed, printing generates a slight stretching of the carpet resulting in a slight deformation of the pattern of up to ± 3 cm every meter.
Nonetheless, even with this variation, the result will be outstanding.

*** La longueur des rouleaux peut varier légèrement. Nous consulter.**

*** Rolls length may vary slightly. Please contact us.**



PAVEMENT

Ref

2 x 30 m*

PAVEMENTC2



RAINBOW

Ref

2 x 30 m*

RAINBOWC2



Design size (repetition) : 150 cm (w) x 176 cm (h)

AQUA

Ref

1,5 x 30 m*

AQUAC150

Largueur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 109 cm (w) x 73 cm (h)

COUNTRY GARDEN

Ref

1,5 x 30 m*

COUNTRYC150

Largueur 2 m sur commande (mini 10 m²). Nous consulter.
2 m width on order (mini 10 m²). Please contact us.



PRINTED CARPETS



Données Techniques

Surface : aiguilleté plat
Envers : imprégné
Fibres : 100 % polyester
Poids total : 400 g/m² ± 10%
Pose avec du double-face

Technical data

Surface: flat needlepunch
Backing: impregnated
Fibres: 100 % polyester
Total weight: 400 g/m² ± 10%
Installation with a double-sided tape



Créez votre propre moquette !

A partir d'une photo, d'un logo ou d'une idée et de dimensions, notre équipe imprime votre moquette 100 % personnalisée. Découvrez nos réalisations sur notre site web !

Create your own carpet !

From a picture, a logo or just an idea and dimensions, our team print your custom-made carpet. See our printed carpets on our website !

CE ASQUAL 13
UK CA BTTG 23
N° 0334-CPR-201 N° 0338-CPR-5576
EN 14041 : 2005 EN 14041 : 2005
DOP46 DOPUK46

NPD

B_{fl} s1 En pose libre sur support A2fl ou A1fl
Loose laid on any A2fl or A1fl class substrate

Formaldehyde E1
Pas de PCP - No PCP

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+
A+ A B C

*Information on the level of emissions of volatile substances in indoor air, with a risk of inhalation toxicity, on a class scale from A+ (very low emissions) to C (high emissions)



A Sommer Needlepunch brand

Sommer Needlepunch
341, rue de la Mairie
59780 Baisieux - France
www.sommer-eventflooring.com

Tel : +33 (0)3 20 64 46 46
Fax : +33 (0)3 20 64 46 24
E-mail : info@sommernp.com



PRINTED-CARPETS-2025-A1-1224 / Credit photos Sommer
Sommer has the right to alter each product specification in order to improve the product according to latest standards.